

UNITED STATES PATENT AND TRADEMARK OFFICE

---

BEFORE THE BOARD OF PATENT APPEALS  
AND INTERFERENCES


---

Ex parte MICHEL SAYAG

---

Application No. 10/789,547

---



ORDER RETURNING UNDOCKETED APPEAL TO EXAMINER

---

This application was received electronically at the Board of Patent Appeals and Interferences on May 2, 2007. A review of the application has revealed that the application is not ready for docketing as an appeal. Accordingly, the application is herewith being returned to the examiner. The matter requiring attention prior to docketing is identified below.

On June 8, 2006, an Examiner's Answer was entered into the record. In the Evidence Relied Upon section, page 4, heading (8), the examiner relied on the following references:

Alvarez

5,221,842

6-1993

Application No. 10/789,547

Dewaele	5,757,021	5-1998
Karellas	5,864,146	1-1999
Budinski et al	5,912,944	6-1999
Floresta et al	6,239,516	5-2001
Mueller et al	6,373,074	4-2002

Muller et al	WO 99/28765 A1	6-1999
--------------	----------------	--------

Cassettes for medical X-ray diagnosis – Radiographic cassettes and mammographic cassettes, 3<sup>rd</sup> Edition (1997-02) of IEC 60406, (1997), pp. 137.

A review of the file reveals that Appellants' admitted prior art was used in the application of claim 22, as stated in the Grounds of Rejection, paragraph (9) of the examiner's answer. The Manual of Patent Examining Procedure, in § 1207.02 states:

(8) ***Evidence Relied Upon.*** A listing of the evidence relied on (e.g., patents, publications, admitted prior art), and, in the case of nonpatent references, the relevant page or pages.

Before further review, the examiner must mail a PTOL-90 that will include in the amended Evidence Relied Upon section, the list of all references mentioned in the statement of rejections. See the Manual of Patent Examining Procedure, (MPEP) § 1207.02. Appropriate correction is required.


Accordingly, it is

Application No. 10/789,547

**ORDERED** that the application is returned to the Examiner to:

- 1) issue and mail a PTOL-90 having the missing references listed under the Evidence Relied Upon section, heading (8) of the Examiner's Answer;
- 2) for such further action as may be appropriate.

BOARD OF PATENT APPEALS  
AND INTERFERENCES

By:   
PATRICK J. NOLAN  
Deputy Chief Appeals Administrator  
(571) 272-9797

PJN/dal

BEYER WEAVER LLP  
P.O. BOX 70250  
OAKLAND, CA 94612-0250